

D2855C CASTING DETAIL




RELEASED
09/07/15 MP

NOTES:

- 1) MATERIAL: CASTING ALUMINUM ALLOY A356.2 (F)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.62 lbs

B	DRAWING UPDATED TO CURRENT STANDARDS. ADD D2855-3 & D2855C (ZN A4-1, A4-3)	RF	09.06.30
A	NEW ISSUE (WAS D2575 REV. E)	DS	96.12.12
REV.	DESCRIPTION	BY	DATE
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D2855	SHEET 1 OF 3
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	CAP	NTS
DATE	09.06.30	COPYRIGHT © 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



INSTALL ALS4-1032-225 (OR AKS7-1032-225, OR
ALS7-1032-225, OR AKS4-1032-225) INSERT ON
INSIDE OF CAP (AFTER POWDER COAT)
2 PL

D2855 CAP
(MAKE FROM D2855C CASTING)

RELEASED
21/07/15

NOTES:

- 1) MATERIAL: MAKE FROM D2855C
- 2) FINISH: PODER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.63 lbs

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	PEH	DRAWING NO.	REV. B
MFG. APPR.	EP	D2855	SHEET 2 OF 3
APPROVED	MP	TITLE	SCALE
DE APPR.	MP	CAP	NTS
DATE	09.06.30	COPYRIGHT © 1996 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

